

**Pandit Jawaharlal Nehru College of Agriculture &  
Research Institute, Karaikal-3**  
(Sponsored by Govt. of Pondicherry and Affiliated to Pondicherry University)  
\*\*\*

Office of the Dean  
PAJANCOA, Serumavilangudi,  
Karaikal

No. PJN/PAT/AGM/Instrument/purchase/Quotation/2022

Date: 11.10.2022

Sir,

Sub: PAJANCOA, Karaikal - Department of Plant Pathology &  
Agrl. Microbiology - Agrl. Microbiology Unit - Purchase of  
Instruments- Quotation called for - Regarding.

\*\*\*\*

This/ Institution proposes to purchase the following instruments (s) of article as specified below:

Sl. No.	Name of the Item	Specification	Approximate Qty. required
1.	Monocular Compound Microscope	Well-balanced monocular body, inclinable at 90°, Mechanical Stage 120 mm x 120 mm, Coarse and fine adjustment with scale, Substage Abbe type N.A. 1.25 condenser with iris diaphragm, Illumination by Plano concave mirror, eye piece: 10X. Objective: 10X, 40X & 100X. Magnification: X50- X1000.	17 Nos
2.	Autoclave	Vertical inner and outer chamber made of stainless steel with foot Paddle lift lid operation. ISI heaters. Pressure gauge, steam release cock & safety valve. Silicon gasket, operating pressure 15lbs/sq inch, works on 220 volts. Inner chamber size 300 x 500 H mm. capacity 40 litre	1 No.
3.	Centrifuge	Laboratory Centrifuge (max. speed 6000 rpm), LED display with speed and time, imbalance detector, dynamic brake, safety lid lock, work on 220 Volts. Angle rotor of 6 tubes with 50 ml.	1 No.

Please quote your lowest rate for the above said item (s) the quotations should be addressed to the Dean, Pandit Jawaharlal Nehru College of Agriculture, Serumavilangudi Nedungadu (P.O.), Karaikal-609 603 and should be sent in a sealed cover superscribed for the supply of instruments for the Department of Plant pathology and Agricultural microbiology, Agricultural Microbiology Unit the quotation should reach this office on or before 27.10.2022.

The rates should be F.O.R. karaikal (only by road) with the freight paid and the C.S.T. allowed is 4 % against 'D' form. The validity of quotation should be not less than 90 days from the date of quotation.

To,  
Dr. B. Saravanan,  
Associate professor (CS),  
TPC to upload in institute website.

  
11/10/2022  
DEAN

[P.T.O.]