



PANDIT JAWAHARLAL NEHRU COLLEGE OF AGRICULTURE & RESEARCH INSTITUTE,
SERUMAVILANGAI,
NEDUNGADU (Post), KARAİKAL – 609 603
(Govt. of Pondicherry Institution affiliated to Pondicherry University, Puducherry)
(Accredited by NAEAB, ICAR, New Delhi)
(A DBT Recognized STAR College)
(Listed under 2 (f) and 12 (b) of UGC)

**Dr. A. POUCHEPPARADJOU, Ph. D.,
DEAN**

No: 17/ PJN/ EC/ Water Supply/ Water Tank/ 2025

Date: -02-2025

RATE ENQUIRY/ QUOTATIONS CALL LETTER

Sir,

Sub: PAJANCOA&RI – Engineering Cell – Water Supply – Supplying, lifting and placing of Polyethylene Water storage tank ISI:12701 – Two Nos. at the Academic block A of the Institute – Quotations – Called for – Reg.

This institute has proposed to purchase and place Polyethylene water storage tank confirming ISI: 12701 as per the specifications given below:

SI No.	Item	Specification	Quantity Required.	Rate	Amount
1.	Polyethylene water storage tank of 5000 lit. capacity	Providing and placing on terrace (at all floor levels) Polyethylene water storage tank (White coloured; double layered, 5000 lit) confirming ISI:12701 with cover and suitable locking arrangements and making necessary holes for inlet, outlet and overflow pipes but without fittings and base support for tank.	TWO Nos		

You are requested to quote your lowest rate including all taxes, transport, labour etc. for supply and place on terrace the above specified item at the academic block A of PAJANCOA&RI, Karaikal.

The quotation should be addressed to the DEAN, PAJANCOA & RI, Nedungadu P.O, Karaikal – 609 603 and should be sent in a sealed cover super scribed as “**QUOTATION FOR THE SUPPLY AND PLACING OF 5000 Lit WATER TANK**”.

The quotation should reach this office on or before **4.30 pm on 20.02.2025 (Thursday)**.


DEAN

To
Institute website – for participation of manufacturers/ dealers/ Suppliers etc.
Notice Board

Phone:(04368)-261288(D); 261372(O) **Fax:** 04368-261260
Email: pajancoa@tnau.ac.in (or) pajancoari.kkl@nic.in

Hostels:261374(B); 261270(G)
Website: www.pajancoa.ac.in