

**Pandit Jawaharlal Nehru College of Agriculture and Research Institute,
Karaikal – 609603
(Government of Puducherry Institution)**

Ph: +91-4368-261372, 261288 (Dean), 261260 (Fax)

www.pajancoa.ac.in

TENDER NOTICE

No.PJN/PBG/CRP /Lab Furnishing/Purchase/Tender/2026

Dt.26.05.2026

Sealed tenders are invited by the undersigned from the reputed firms for the supply of the following item adopting two-bid system (technical bid and financial bid).

Sl. No.	Name of the item	Qty	Bid Security (Earnest Money Deposit)
1.	L shape Wall Work Table with storage module	1	Rs.10,000/-

1. Along with this tender notice, terms and conditions, tender schedule (technical bid) with specifications and tender schedule (financial bid) are available in the institute website www.pajancoa.ac.in which can be downloaded.

2. In case of any difficulty in downloading the bidding documents from the website www.pajancoa.ac.in, the prospective bidders may please contact the undersigned.



DEAN

Pandit Jawaharlal Nehru College of
Agriculture and Research Institute
Karaikal

To

1. www.pajancoa.ac.in
2. Dr. S. Saravanan, ASP (Computer Science) – to host it institute website - TPC


26/5/26


26/5/26

Terms and Conditions

1. Tender schedule (Technical bid) consists of all technical details along with commercial terms and conditions; and Tender schedule (Financial bid) is for indicating price for the items mentioned in the technical bid. The technical bid and the financial bid should be sealed in separate covers duly superscribed as "Technical Bid" and "Financial Bid" respectively. Both these sealed covers are to be put in a bigger cover which should also be sealed and duly superscribed as **"Tender bid for purchase of "L shape Wall Work Table with storage module" for Crop Physiology Unit, Department of Plant Breeding & Genetics "**and addressed to **The Dean, Pandit Jawaharlal Nehru College of Agriculture and Research Institute, Karaikal-609603.** The duly completed tender forms in all respects should be submitted on or before **04:00 PM on 09.05.2026.** Tender forms received after the due date and time will be summarily rejected. The technical bids will be opened in the institute at the first instance and evaluated. At the second stage, financial bids of only the technically acceptable offers will be opened for further evaluation and awarding the contract.
2. **Bid security** (earnest money) as indicated in the tender notice have to be paid, as **demand draft drawn in favour of Dean, Pandit Jawaharlal Nehru College of Agriculture and Research Institute, payable at Karaikal** along with the **technical bid.** Technical bid without bid security will summarily be rejected.
3. The tender should be valid for six months from the date of the opening. The rate should be quoted for each item with specification and model if applicable and should be indicated clearly both in words and figures. Any scoring or overwriting should be attested by the tenderers with full signature.
4. Tenders will be opened at **4:30 PM on the same day** in the presence of bidders or their authorized representatives who choose to be present at the time of opening. If the opening day of the tender happens to be a holiday the tender will be opened on the next working day at the same time specified.
5. The material should be supplied strictly in accordance with the specifications given and should fulfill the successful tests carried out in the institute. The supply and installation should be made as per the supply order to be sent by the Dean.
6. The rate should be FOR destination and should include all charges such as packing, forwarding, etc. including loading / unloading. The insurance charges, if any, are to be borne by the suppliers.
7. The Dean reserves the right to reject or accept any tender without assigning any reason thereof.
8. Satisfactory installation and test running at the institute is to be done at the cost of supplier.
9. The materials should be supplied within two months from the date of supply order.
10. The material covered under the supply order, when installed, shall be warranted for the quality, workmanship, trouble free operation and performance for a period of two years from the date of putting the system into operation at the institute. If any item covered under warranty fails, the same shall be replaced at free of cost including all the applicable charges and shipping cost both ways.
11. Complete technical specifications, supported with literature, are to be included with the tender. Manufacturers of various major parts/equipment must be mentioned explicitly. In the tender schedule of technical bid in col. No. 3, if the specification compiled is yes, the same should be supported in literature attached.

K
26/5

DEAN

Pandit Jawaharlal Nehru College of
Agriculture and Research Institute,
Karaikal

K
26/5

P
26/5/26

2

**Tender Schedule
(Technical Bid)**

Tender Notice No: PJN/PBG/CRP/Lab Furnishing/Tender/2026

Dt.26.05.2026

Name of the item: 'L' SHAPE WALL WORK TABLE WITH STORAGE MODULE (WORK STATION) (As per enclosed drawing)

Description of the item	Whether complied (Yes/No)	If yes, please attached technical literature
<p><u>'L' SHAPE WALL WORK TABLE WITH STORAGE MODULE</u></p> <p>1. DIMENSION: (3033L x 6630W) mm + 750mm x 900 mm</p> <p>2. GRANITE TOP: The table top should be made of 17 (+/- 1) mm finely polished thick black Color Granite with half rounded edges, Bull nose / Chamfer Moulding & groove at the bottom to avoid chemical spillage</p> <p>3. UNDER BENCH MODULAR: Should be High quality electro galvanized Steel 20-gauge Thickness (TATA, JSW or AMNS Essar make) Epoxy Powder coating structure finish. Wall bench should be provided with under bench storage cabinet modules with leg/knee space having two shutters and one adjustable shelf. Should be with telescopic smooth sliding rails for drawers. (45kg) (Godrej or Ebco Make)</p> <p>4. QUANTITY OF MODULES: Should be as per drawing</p> <p>5. HARDWARE FITTINGS:</p> <ul style="list-style-type: none"> a) Drawer Runner: - Godrej / EBCO make. b) Hinges: - Godrej or EBCO make Nickel plated concealed clip-on full overlay. c) Handle: - Aluminum concealed Handle or Modular body color powder coated finish. d) Lock: - Godrej / EBCO lock with a pair of keys. <p>6. COLOUR: Colour combination should be IVORY and drawer fronts contrasting ORCHID BLUE / BLUE for aesthetic appeal by powder coating technique.</p> <p>7. P.P SINK & TAPE : PP Rectangle Sink with Sink Outlet Nipple; Size: 560mm (22") X 355mm (14") X 245 mm Depth; PP Hose Pipe with Nut. Rectangle Sink; Sink should be made from highly chemical resistant PP material with superior surface finish & black in color; Rectangle sink size should be: 560 mm x 355 mm x 245 mm is specially used for washing areas</p> <p>Taps should be-3 Way Water Tap</p> <ul style="list-style-type: none"> 1.Taps should be made from high quality brass forging Grade as per Is 8737 2007 & machining Grade as Per Is: 319 (I) 2. Taps should be powder coated with full glossy epoxy fusion bond & are available in grey color. 3.Taps should be tested in pneumatic test at 250 PSI, in hydraulic test at 30 PSI & bursting test at 500 PSI to avoid leakage 4.L Type Nek Spout should be 360°swing with brass headwork: Full Turn: Life Cycle Test: up to 5,00,000 cycles 5.Water Static Pressure Max: 14 Bar 		

Number of the enclosed demand draft towards bid security:

Commercial terms and conditions:

1. Delivery:
2. Installation:
3. Validity:
4. Others if any:

I / We have carefully read the terms and conditions of the Tender and agree to abide by these in letter and spirit. I / We agree to forfeit of the bid security (earnest money) if I / We fail to comply with any of the terms and conditions in whole or in part laid down in the Tender forms.

Date:
Office Stamp

Signature of the Bidder
Name in block letters

**Tender Schedule
(Financial Bid)**

Tender Notice No: PJN/PBG/CRP/ Lab furnishing/Tender/2026

Dt. 26.05.2026

Name of the item: 'L' SHAPE WALL WORK TABLE WITH STORAGE MODULE (WORK STATION) (As per enclosed drawing)

Description of the item	Rate* (Rs.)	Amount in words (Rs.)
<p><u>'L' SHAPE WALL WORK TABLE WITH STORAGE MODULE</u></p> <p>1. DIMENSION: (3033L x 6630W) mm + 750mm x 900 mm</p> <p>2. GRANITE TOP: The table top should be made of 17 (+/- 1) mm finely polished thick black Color Granite with half rounded edges, Bull nose / Chamfer Moulding & groove at the bottom to avoid chemical spillage</p> <p>3. UNDER BENCH MODULAR: Should be High quality electro galvanized Steel 20-gauge Thickness (TATA, JSW or AMNS Essar make) Epoxy Powder coating structure finish. Wall bench should be provided with under bench storage cabinet modules with leg/knee space having two shutters and one adjustable shelf. Should be telescopic smooth sliding rails for drawers. (45kg) (Godrej or Ebco Make)</p> <p>4. QUANTITY OF MODULES: Should be as per drawing</p> <p>5. HARDWARE FITTINGS:</p> <p style="margin-left: 20px;">a) Drawer Runner: - Godrej / EBCO make.</p> <p style="margin-left: 20px;">b) Hinges: - Godrej or EBCO make Nickel plated concealed clip-on full overlay.</p> <p style="margin-left: 20px;">c) Handle: - Aluminum concealed Handle or Modular body color powder coated finish.</p> <p style="margin-left: 20px;">d) Lock: - Godrej / EBCO lock with a pair of keys.</p> <p>6. COLOUR: Colour combination should be IVORY and drawer fronts contrasting ORCHID BLUE / BLUE for aesthetic appeal by powder coating technique.</p> <p>7. P.P SINK & TAPE: PP Rectangle Sink with Sink Outlet Nipple; Size: 560mm (22") X 355mm (14") X 245 mm Depth; PP Hose Pipe with Nut. Rectangle Sink; Sink should be made from highly chemical resistant PP material with superior surface finish & black in color; Rectangle sink size should be: 560 mm x 355 mm x 245 mm is specially used for washing areas</p> <p>Taps should be-3 Way Water Tap</p> <p style="margin-left: 20px;">1.Taps should be made from high quality brass forging Grade as per Is 8737 2007 & machining Grade as Per Is: 319 (I)</p> <p style="margin-left: 20px;">2. Taps should be powder coated with full glossy epoxy fusion bond & are available in grey color.</p> <p style="margin-left: 20px;">3.Taps should be tested in pneumatic test at 250 PSI, in hydraulic test at 30 PSI & bursting test at 500 PSI to avoid leakage</p> <p style="margin-left: 20px;">4.L Type Nek Spout should be 360°swing with brass headwork: Full Turn: Life Cycle Test: up to 5,00,000 cycles</p> <p>5.Water Static Pressure Max: 14 Bar</p>		

* Rate quoted should be inclusive of GST

I / We have carefully read the terms and conditions of the Tender and agree to abide by these in letter and spirit. I / We agree to forfeit of the bid security (earnest money) if I / We fail to comply with any of the terms and conditions in whole or in part laid down in the Tender forms.

Date:
Office Stamp

Signature of the Bidder
Name in block letters

Specifications for 'L' SHAPE WALL WORK TABLE WITH STORAGE MODULE (WORK STATION) (Drawing enclosed)

- 1. DIMENSION:** (3033L x 6630W) mm + 750mm x 900 mm
- 2. GRANITE TOP:** The table top should be made of 17 (+/- 1) mm finely polished thick black Color Granite with half rounded edges, Bull nose / Chamfer Moulding & groove at the bottom to avoid chemical spillage
- 3. UNDER BENCH MODULAR:** Should be High quality electro galvanized Steel 20-gauge Thickness (TATA, JSW or AMNS Essar make) Epoxy Powder coating structure finish. Wall bench should be provided with under bench storage cabinet modules with leg/knee space having two shutters and one adjustable shelf. Should be telescopic smooth sliding rails for drawers. (45kg) (Godrej or Ebco Make)
- 4. QUANTITY OF MODULES:** Should be as per drawing
- 5. HARDWARE FITTINGS:**
 - e) Drawer Runner: - Godrej / EBCO make.
 - f) Hinges: - Godrej or EBCO make Nickel plated concealed clip-on full overlay.
 - g) Handle: - Aluminum concealed Handle or Modular body color powder coated finish.
 - h) Lock: - Godrej / EBCO lock with a pair of keys.
- 6. COLOUR:** Colour combination should be IVORY and drawer fronts contrasting ORCHID BLUE / BLUE for aesthetic appeal by powder coating technique.
- 7. P.P SINK & TAPE:** PP Rectangle Sink with Sink Outlet Nipple; Size: 560mm (22") X 355mm (14") X 245 mm Depth; PP Hose Pipe with Nut. Rectangle Sink; Sink should be made from highly chemical resistant PP material with superior surface finish & black in color; Rectangle sink size should be: 560 mm x 355 mm x 245 mm is specially used for washing areas
Taps should be-3 Way Water Tap
 1. Taps should be made from high quality brass forging Grade as per Is 8737 2007 & machining Grade as Per Is: 319 (I)
 2. Taps should be powder coated with full glossy epoxy fusion bond & are available in grey color.
 3. Taps should be tested in pneumatic test at 250 PSI, in hydraulic test at 30 PSI & bursting test at 500 PSI to avoid leakage
 4. L Type Nek Spout should be 360° swing with brass headwork: Full Turn: Life Cycle Test: up to 5,00,000 cycles
 5. Water Static Pressure Max: 14 Bar

PS
26/5
DEAN

**Pandit Jawaharlal Nehru College of
Agriculture and Research Institute,
Karaikal**

26/5

26/5/m

2D VIEW

**COLOUR
IVORY & BLUE**




TABLE TOP 17+1 mm Thick Black Granite
MOC: Pre Treated & Electro Galvanized Iron Sheet With Epoxy Powder Coating.